

Cold water

HD 9/16-4 ST H



makes a difference

Cold water high-pressure cleaner

Standard accessories:

- Pressure pump
- Ready for remote control
- Ready for Servo Control

Order no.: 1.042-205.0



Technical data

Current type Ph/V/Hz	3/400/50
Fuse protection (A)	min. 16
Flow rate (l/h)	550-950
Operating pressure (bar/MPa)	30-160/3-16
Max. pressure (bar/MPa)	185/18.5
Max. temperature (feed 12 °C)	-
Max. water feed temperature (°C)	max. 80
Power rating (kW)	5.7
Weight (kg)	85
Dimensions (L x W x H) (mm)	700x600x470

Cold water

HD 9/16-4 ST H



makes a difference

Accessories

Automatic, self-winding hose reels

Hose reel, automatic, 20 m, painted

Automatic hose reel of durable plastic. Painted steel bracket. Suitable for 20 m high-pressure hose.

Order no. 2.639-919.0



Swivel holder

Swivel holder for automatic hose reel wall mounting. For maximum action radius and flexibility of high-pressure hose. Rotatable 120°. Galvanised steel.

Order no. 2.639-931.0



Hose reel, automatic, 20 m, stainless steel

Automatic stainless steel hose reel. With swivel holder. Suitable for 20 m high-pressure hose.

Order no. 6.391-421.0



Hose reel, automatic, 20 m, stainless steel

Automatic stainless steel hose reel. With swivel holder. Suitable for 20 m high-pressure hose.

Order no. 6.391-421.0



ABS hose reel stainless steel

High-grade, automatic steel hose reel. Especially suitable for use in the food industry. The material and finish provide for a corrosion-resistant, watertight capsuled sprong drive. Connection for HP hoses with nipple.

Order no. 2.641-866.0



Cold water

HD 9/16-4 ST H



makes a difference

Automatic, self-winding hose reels

ABS wall fastening stainless steel

Swivelling wall bracket made of high-grade steel (for 2.641-866). This makes maximum flexibility and convenience possible when working with the HP hose.

Order no. 2.641-867.0



Control cable

Control cable 5 x 1.5 m

Order no. 6.641-061.0



Control cable 7 x 1.5 m

Order no. 6.641-064.0



Control cable 10 x 1.5 m

Order no. 6.641-082.0



Control cable 12 x 0.75 m

Order no. 6.641-815.0



Cold water

HD 9/16-4 ST H



makes a difference

Control cable

Conduit

Conduit for control cable installation. Consisting of 3 m conduit, 5x conduit clips, 5x dowels, 5x screws.

Order no. 2.420-008.0



Control cable 12 x 0.75 m

Order no. 6.641-815.0



Conduit

Conduit for control cable installation. Consisting of 3 m conduit, 5x conduit clips, 5x dowels, 5x screws.

Order no. 2.420-008.0



Easy Press high-pressure gun with holding power reduction (Kärcher patent)

Easy press high-pressure trigger gun with softgrip

Easy press high-pressure trigger gun with softgrip. For high-pressure hoses DN 6 and DN 8 with 11 mm swivel diameter.

Order no. 4.775-463.0



Easy press high-pressure trigger gun with softgrip

Easy press high-pressure trigger gun with integrated adapter for connecting to high-pressure hoses M 22 x 1.5.

Order no. 4.775-466.0



Cold water

HD 9/16-4 ST H



makes a difference

Fass- und Behälterreinigung

Barrel cleaner

The BC 14/12 is an spray system for the efficient interior cleaning of containers and barrels, specially oak barrels with a volume of between 225 and 600 litres. One cleaning cycle is completed within 36 seconds and every spot in the container is covered by a water jet. After cleaning is finished the BC 14/12 can easily and conveniently take up the dirty water. The transformer included with the BC 14/12 makes it possible to use it worldwide (110 - 240 V, 50 - 60 Hz). The nozzle kits included make possible use with high-pressure cleaners with a water volume of 600 to 1400 l / h. Electrical components are protected in accordance with IP 55.



Order no. 2.641-740.0

Food industry version with unions on both sides

High-pressure hose, 10 m DN 8, suitable for food industry, extension piece

10 m high-pressure hose (DN 8) with patented (rotating) AVS trigger gun connector. Non-discolouring outer layer for use in the food industry. M 22 x 1.5 with anti-kink sleeve.



Order no. 6.389-479.0

High-pressure hose, 20 m DN 8, suitable for food industry, extension piece

20 m high-pressure hose (DN 8) with swivel coupling. Non-discolouring outer layer for use in the food industry. Connectors at both ends, M 22 x 1.5, with kink protection. NW 8/155°C/250 bar.



Order no. 6.389-581.0

High-pressure pipework

Connector, galvanised steel

Alternativ : stainless steel 2.638-181

Order no. 2.638-180.0



Cold water

HD 9/16-4 ST H



makes a difference

High-pressure pipework

Shut-off valve, galvanised steel

Shut-off valve, galvanised steel. Connects between high-pressure pipe system and high-pressure hose. Connectors: 1x M22 x 1.5 and 1x M24 x 1.5. With wall mounting plate and fixing material.

Order no. 4.580-144.0



Pipe kit, galvanised steel, 3 m

High-pressure pipe kit with 3 m galvanised steel pipe Ø 16 x 2.5 mm, DN 11 and fixing accessories: Compression fitting, 4 pipe clamps, 4 hanger bolts and 4 plastic dowels.

Order no. 2.420-004.0



Tee, galvanised steel

Tee (90°), galvanised steel with compression fitting for 16 mm pipes. Fixing material (Ermeto) included.

Order no. 6.386-269.0



Elbow union, galvanised steel

Elbow union, galvanised steel. With 90° angle piece with compression fitting (Ermeto) at both ends for 16 mm pipes.

Order no. 6.386-356.0



Pipe insulation, per running meter

For thermal insulation of pipes. Pipe cladding. Wall thickness 9 mm. PE foam with moisture barrier. Available per running meter.

Order no. 6.286-147.0



Adapter piece, galvanised steel

Alternative: stainless steel 2.638-183

Order no. 2.638-182.0



Cold water

HD 9/16-4 ST H



makes a difference

High-pressure pipework

Quick-release coupling, fixed part
fixed part

Order no. 6.463-025.0



Union nut, galvanised steel

Union nut, galvanised steel. For 16 mm compression fitting.

Order no. 6.386-423.0



Cutting ring

Galvanised steel cutting ring. For 16 mm compression fitting.

Order no. 6.386-357.0



High-pressure pipe kit

High-pressure pipe kit with 3 m stainless pipe Ø 16 x 2 mm, ID 12 and mounting accessories: compression fitting, 4 pipe clamps, 4 hanger bolts and 4 plastic dowels.

Order no. 2.420-006.0



Connector pipe/high-pressure hose, stainless steel

Stainless steel

Order no. 2.638-181.0



Connector pipe/stop valve, stainless steel

Order no. 2.638-183.0



Cold water

HD 9/16-4 ST H



makes a difference

High-pressure pipework

Shut-off valve, stainless steel

Order no. 4.580-163.0



Shut-off valve, stainless steel

(VA)

Order no. 6.386-428.0



Union nut, stainless steel

Stainless steel

Order no. 6.386-465.0



Stainless steel elbow union 90°

Stainless steel elbow union 90° with compression fitting (Ermeto) at both ends for 16 mm pipes.

Order no. 6.386-466.0



Quick-release coupling, moveable part

loose part

Order no. 6.463-023.0



Cold water

HD 9/16-4 ST H



makes a difference

Hose track system high-pressure cleaners

C-rail, per running metre

C-rail profile as a guide track. 30x32 mm, 2 mm wall thickness 1.56 kg/m.

Available per running metre.

Order no. 6.233-017.0



Rail connector

Order no. 6.541-011.0



Hose drum, automatic, 10 m

20m

Order no. 2.637-750.0



End stop

Order no. 6.541-025.0



Cable trolley

Cable trolley for C-rail profile. 20 kg capacity. Weight 0.11 kg. Galvanised steel ball bearing.

Order no. 6.541-026.0



End bracket

Order no. 6.541-028.0



Cold water

HD 9/16-4 ST H



makes a difference

Hose track system high-pressure cleaners

Handle

C-rail profile clamp. Galvanised steel. Plastic clamping parts. Weight 0.06 kg.

Order no. 6.541-029.0



Wall bracket

Wall holder for galvanised steel C-rail profile.

Order no. 6.541-039.0



Rail holder wall


Galvanised steel rail bracket for C-rail profile. Weight 0.235 kg.

Order no. 6.541-012.0



Spring balancer

Order no. 6.542-001.0



Spray lance runner, movable

moveable

Order no. 4.042-610.0



Swinging boom, column

Swinging boom, column

Order no. 2.637-121.0



Cold water

HD 9/16-4 ST H



makes a difference

Hose track system high-pressure cleaners

Hose drum, automatic, 10 m

Hose reel, automatic, 10 m

Order no. 2.637-238.0



Rail holder

Order no. 6.541-027.0



Longlife 400 with unions on both sides

High-pressure hose 1.5 m, DN 8, including □ connectors

1.5 m high-pressure hose (DN 8, M 22 x 1.5) with kink protection and connectors at both ends. For connecting to hose reels with appropriate connector (M 22 x 1.5).

Order no. 6.390-178.0



High-pressure hose Longlife 400, 10 m, DN 8, including rotary coupling

10 m high-pressure hose Longlife 400 (DN 8) with rotary coupling, two layer high-strength steel wire reinforced. Connectors at both ends. M 22 x 1.5, with kink protection.

Order no. 6.388-083.0



Payment systems

Set of tokens, stamping

Token set, coinage, size 26 x 2.3 mm.

Order no. 6.768-169.0



Cold water

HD 9/16-4 ST H



makes a difference

Plant installation

Wall bracket

Wall bracket

Order no. 2.053-005.0



Detergent tank, 60 l, empty

60 l cleaning agent container, empty

Order no. 5.070-078.0



Emergency Stop switch

Emergency Stop switch with ISO housing for wall mounting. With 0.4 m power cord and fixing material.

Order no. 2.744-002.0



Floor rack

Floor stand

Order no. 2.210-042.0



Floor rack VA

Floor stand, stainless steel


Order no. 2.210-043.0



Wall bracket VA

Wall bracket, stainless steel

Order no. 4.053-122.0



Cold water

HD 9/16-4 ST H



makes a difference

Plant installation

Hood VA

Hood, stainless steel

Order no. 4.067-028.0



Remote control

Remote control


Easy to use remote control for stationary high-pressure cleaners. With rocker switch, ISO housing for wall mounting and fixing material.

Order no. 2.637-491.0



Remote control I-O, RM 1+2

Order no. 2.744-014.0



Remote control, I-O, RM 1+2

Accessories for stationary high-pressure cleaning systems

Order no. 2.744-015.0



Priority switch

Order no. 2.638-200.0



Cold water

HD 9/16-4 ST H



makes a difference

Remote control

Coin acceptor, 50 cents

Order no. 2.639-912.0



Coin acceptor, 1 €

Order no. 2.639-913.0



Coin acceptor, 2 €

Order no. 2.639-914.0



Coin acceptor, tokens

Token

Order no. 6.768-063.0



Coin-operated remote control

Order no. 2.637-806.0



Multiple coin-operated remote control

Order no. 2.637-896.0



Cold water

HD 9/16-4 ST H



makes a difference

Remote control

Multiple-operated control electronics

Order no. 2.744-030.0



Remote control I-O, RM 1+2

Order no. 2.744-014.0



Coin acceptor, 1 €

Order no. 2.639-913.0



Coin acceptor, tokens

Token

Order no. 6.768-063.0



Stationary high-pressure cleaning systems

Water solenoid valve

Order no. 4.743-011.0



Cold water

HD 9/16-4 ST H



makes a difference

Stationary high-pressure cleaning systems

Water hose; 1.5 m: DN 13, R 3/4"

Order no. 4.440-282.0



Take-off point equipment

Servo control

Order no. 4.775-470.0



Power nozzle 25° spray angle

Order no. 2.883-402.0



Hose and spray lance holder VA

Hose and spray lance wall holder for practical and safe storage of high-pressure hoses or spray lances. Stainless steel wall holder.

Order no. 2.042-003.0



HP hose, 20 m, without rotary coupling

Order no. 6.388-813.0

