

## Standard accessories:

- Flat pleated polyester filter
- Manual filter cleaning system
- Travel drive - forward
- Adjustable roller brush
- Mobile container
- Bulk waste flap
- Fold-down push handle
- Overthrow sweeping principle
- Vacuum
- Outdoor applications
- Adjustable suction power
- Side brush
- can be raised and adjusted



**Order no.: 1.049-205.0**

## Technical data

Drive	4-stroke petrol engine/Honda
Drive – power	3,3 kW
Max. area performance m <sup>2</sup> /h	3375
Working width (mm)	550
Working width (2)	-
Working width with 1 side brush (mm)	750
Working width with 2 side brushes (mm)	-
Container (l)	40
Hill climbing ability (%)	15
Operating speed (km/h)	4.5
Filter area (m <sup>2</sup> )	1.8
Weight (kg)	84
Dimensions (L x W x H) (mm)	1430x780x1180


## Accessories

### Flat pleated filter

#### Flat pleated filter

Moisture-proof, washable flat pleated filter for Kärcher sweepers. Filter noticeably reduces maintenance costs.

Order no. 5.731-635.0



### Main roller brush, hard

#### Main roller brush, hard

Hard main roller brush for removing stubborn, adhering dirt outdoors.

Order no. 6.906-885.0



### Main roller brush, soft/natural

#### Main roller brush, soft/natural

Specially designed with natural bristles for sweeping fine dust on smooth floors indoors

Order no. 6.906-886.0



### Side brush, hard

#### Side brush, hard

Removes stubborn dirt outdoors, moisture-proof, mildly abrasive

Order no. 6.905-625.0



Vacuum sweepers walk-behind

## KM 75/40 W P



makes a difference

### Side brush, soft

#### Side brush, soft

Moisture-proof, soft side brush for sweeping fine dust on all surfaces indoors and outdoors. Ideal for dirt with a high dust content.

Order no. 6.905-626.0



### Standard main roller brushes

#### Standard roller brush

Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.

Order no. 6.906-884.0



### Standard side brushes

#### Side brush standard

Moisture-proof universal bristles, longlife, suitable for all surfaces

Order no. 6.906-132.0

