

NT 611 Eco K

makes a difference

Commercial, one-engined wet/dry vacuum cleaner with 55 l tank capacity for all applications in crafts, commerce and contract cleaning. Serial with coarse dirt filter, accessory in C-ID 40, accessory holder, rubber coated power cord and integrated waste water pump. Electronic cut-out on reaching maximum filling. Special filter system permits change-over between wet and dry vacuuming without removing the filter, if using an optional flat filter as main filter for vacuuming, e.g. dry dusts. Mechanical filter shaker for dry application (with optional flat filter).

Standard accessories:

- Suction hose 4 m
- Metal suction tube
- 2 x 0.5 m
- Wet and dry floor tool 360 mm
- Crevice tool
- Drain hose (oil-resistant)
- Auto shutdown when max. level is reached
- Container material Plastic
- Clip system for extension hose
- Automatic switching on / off
- Removable dirty water pump
- Parking brake
- Mechanical filter shaker
- Bumper bar
- Push handle
- Safety class I
- Maintenance -free suction fans 1 piece



Order no.: 1.146-202.0

Technical data

Air flow rate (l/s)	57
Vacuum (mbar/kPa)	235/23.5
Container capacity (l)	55
Max. intake performance (W)	max. 2350
Performance disposal pump (W)	800
Standard nominal size (mm)	40
Length of cord access. (m)	10
Sound level (dB(A))	63
Weight (kg)	23
Dimensions (L x W x H) (mm)	570x370x860

Accessories

All-purpose nozzles (wet/dry)

All-purpose nozzle (wet/dry)

All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.

Order no. 6.906-554.0



All-purpose nozzle (wet/dry)

All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.

Order no. 6.906-383.0



Bend metal

Bend, DN 35, metal

Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).

Order no. 6.900-519.0



Bend, DN 40, metal

Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).

Order no. 6.900-276.0



Bend stainless

Bend, stainless steel ID 35

Stainless steel and crooked, ID 35

Order no. 6.903-141.0



Bend stainless

Bend, stainless steel ID 40

Stainless steel and crooked, ID 40

Order no. 6.902-079.0



Car cleaning nozzles

Car vacuuming tool, DN 40

Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.

Order no. 6.900-952.0



Coarse filter for wet pickup

Coarse dirt filter for wet pick up

Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.

Order no. 6.904-287.0



Connecting sleeve C-DN (clip on taper), EL (electroconductive)

C 40 adapter

Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.

Order no. 5.407-109.0



C-DN 40 adapter

Connects C 40 hose for ID 40, electrically conductive.

Order no. 5.407-111.0



Crevice nozzles

Crevice tool

Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.

Order no. 6.903-033.0



Crevice tool

Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.

Order no. 6.905-817.0



Extension hoses (Clip-system)

Extension hose, C 40

2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.

Order no. 6.906-344.0



Flat pleated filter (paper)

Flat pleated filter packed - dust class M

Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.

Order no. 6.904-367.0



Flat pleated filter (PES)

Flat pleated filter (PES)

Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.

Order no. 6.904-360.0



Gangway nozzles

Gangway nozzle

Metal, height-adjustable, strips, rubber lips (only for NT 55/1 Eco/Tact & NT 611 Eco/Tact versions)

Order no. 4.130-401.0



Other accessories for T and NT

Disposal coupling

Geka coupling with C-connection.

Order no. 6.388-900.0



Paper filter (2 ply)

Paper filter bags NT 561 Eco - 611 Eco + models x5

5 paper filter bags (BIA-(U, S, G, C) dust class M) with reinforced outer ply. Standard for NT 561/611 Eco/te/M/TEA/M A, optional for NT 361 Eco BS/611 Eco BS.

Order no. 6.904-208.0



Paper filter bags NT 561 Eco - 611 Eco + models x5

5 paper filter bags (BIA-(U, S, G, C) dust class M) with reinforced outer ply. Standard for NT 561/611 Eco/te/M/TEA/M A, optional for NT 361 Eco BS/611 Eco BS.

Order no. 6.904-208.0



Plastic bend

Plastic bend

Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.

Order no. 5.031-904.0



Reducer (tube -> nozzle)

Reducer

Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.

Order no. 6.902-017.0



Reducer from DN 35 to 32

Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.

Order no. 6.902-072.0



Reducing sleeves

Reducer

Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.

Order no. 5.407-113.0



Repair kits

Repair set, C 40

Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.

Order no. 2.639-873.0



Rubber suction tools, nose 45°

Rubber suction tools, nose 45°

45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.

Order no. 6.902-105.0



Rubber tool

Rubber nozzle, ID 40

Rubber.

Order no. 4.763-057.0



Special filter bags, wet filter bags

Special filter bag, wet filter bag

Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.

Order no. 6.904-211.0



Suction hoses (Clip-system)

Suction hose

With bayonet and clip connection.

Order no. 6.906-714.0



Suction hose

4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.

Order no. 6.906-241.0



Suction hose (clip system), C 40, 10 m

10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.

Order no. 6.906-279.0



Suction hoses (Clip-system)

Suction hose

4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order no. 6.906-321.0



Suction hose (clip system), C 35

Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.

Order no. 6.906-242.0



Suction hoses complete (Clip-system)

Suction hose

4 m electrically non-conductive suction hose with bend, bayonet at vacuum end and C 40 clip connection at accessory end. Without module.

Order no. 4.440-678.0



Suction tubes metal

Suction tube

Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.

Order no. 6.900-275.0



Suction tube

Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.

Order no. 6.900-514.0



Suction tubes stainless steel

Suction tube, DN 40

Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.

Order no. 6.902-081.0



Suction tube

Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.

Order no. 6.906-531.0



Target group specific vacuum cleaner accessory sets

Fire service kit ID 40

Individual parts: Oil-resistant suction hose 4 m (4.440-303.0), grout nozzle (6.903-033.0), metal bend (6.900-276.0), disposal coupling Geka-C (6.388-900.0), floor nozzle (6.903-018.0), metal suction tube 2 x 0.5 m (6.900-275.0).

Order no. 2.637-360.0



UBS non-conductive media

UBS non-conductive media

For switching off when vacuuming non-conductive fluids such as oils and greases.

Order no. 2.882-517.0

