# COLD WATER - WHY COMPROMISE

professional cold water pressure washers








### **Gerni POSEIDON Family**

- Efficient cold water cleaning for demanding cleaning tasks







The POSEIDON family also comprises a range of medium duty and heavy duty pressure washers.

The POSEIDON 5, 7 and 8 lines all offer the benefits of silent power: slow running motor pumps offering optimum lifetime at low, low noise levels. Whether you require high pressure, or high water flow - the POSEIDON line has a model for you.

Valuable partners for even the most intense use in industry, agriculture or the food industry.
















### - High water flow ensures heavy rinsing effect











#### **POSEIDON 8**

- High water flow ensures heavy rinsing effectCeramic pistons for longer working life
- Ergo 3000 spray gun for unmatched user comfort
- Soft start system

• Slow running 1450 rpm motor with low noise level · Simple and easy to use



P	0	S	E	I	D	0	N	8-	1	1	1
-	_		_	_	_	_	_				

Technical data:		301002534
Pump pressure	psi	2610
	MPa	18
Cleaning Impact	kg/Force	11.1
Water flow, Qmax/QIEC	l/h	2100/2050
Max. inlet temp.	°C	50
Power consumption	kW	14
Voltage/phase/ frequency/current	V/~/Hz/A	400/3/50/24
Pump	RPM	1450
Weight	kg	98
Dimensions L x W x H	mm	1020 x 480 x 940
HP hose	m/Ø	15/DN10
Standard equipment:		
Ergo 3000 Gun		•
Ergo 3000 lance		Tornado
Tornado Plus nozzle		●1200
Full ceramic pistons		•

• Standard Accessories

O Supplementary Accessories

The ultimate cold water unit with very high water flow and high pressure. Ideal for agriculture, construction or food industry.

The Gerni POSEIDON 8 links the advantages of high water flow and high pressure, allowing both cleaning of intense dirt and flushing and rinsing of large quantities of loose dirt.



- Power, robustness and durability









The ultimate industrial cold water unit with high water flow and high pressure. Ideal for agriculture, industry or food industry.

The Gerni POSEIDON 7 links the advantages of high water flow and high pressure, allowing both cleaning of intense dirt and flushing and rinsing of large quantities of loose dirt. The POSEIDON 7 is equipped with the heavy duty C3 pump with a high inlet temperature of 85° C for use with pre-heated water and additional degreasing effect.






Technical data:		POSEIDON 7-66 301002954
Pump pressure	psi	2755
, p. p. 1111	MPa	19
Cleaning Impact	kg/Force	6.6
Water flow, Qmax/QIEC	I/h	1280/1180
Water flow, min.	l/h	1180
Max. inlet temp.	°C	85
Suction height	m	5
Power consumption	kW	8.0
Voltage/phase/ frequency/current	V/~/Hz/A	400/3/50/14
Pump	RPM	1450
Sound level - LpA	dB(A)	75
Weight	kg	74
Dimensions Lx W x H	mm	1020 x 480 x 940
HP hose	m/Ø	10/DN10
Standard equipment:		•
Ergo 2000 Gun		Tornado
Ergo 3000 lance		Tomado
Tornado Plus Nozzle		• 0640
Full ceramic pistons		- 204000202
HP hose reel		0 301000202
Chemical Injector with By-pass		0 6401242

- High performance, unbeatable ergonomics and user-friendliness











The ideal partner for cold water

cleaning tasks in all sectors. High

low noise levels and easy servicing

performance, unbeatable ergonomics,

#### **POSEIDON 5-30**

Outstanding ergonomics





· Robust frame

· Pressure/flow regulation

· Outstanding ergonomics


• SilentPower - low noise level

• Full ceramic pistons

Hose reel

· Detergent tank









The removable detergent tank is easy to fill and to empty and the level of remaining detergent can be spotted within seconds. Standard equipment on all XT models.

		POSEIDON 5-30	POSEIDON 5-55 XT
Technical data:		107146532	107146533
Pump pressure	Psi	1670	2900
	MPa	12.5	20
Cleaning Impact	kg/Force	3.0	5.5
Water flow, Qmax/QIEC	l/h	700/630	1040/960
Max. inlet temp.	°C	60	60
Suction height	m	1.5	1.5
Power consumed	kW	3.4	6.1
Voltage/phase/ frequency/current	V/~/Hz/A	240/1/50/15	400/3/50/12.3
Pump	RPM	1450	1450
Sound level - LpA	dB(A)	66	73
Weight	kg	75	85
Dimensions L x W x H	mm	740 x 550 x 1015	920 x 550 x 1015
HP hose	m/Ø	10/DN8	15/DN8


Standard equipment:		
Ergo Gun	● Ergo 2000	● Ergo 2000
Ergo 3000 lance	Tornado	Tornado
Ergo 3000 Rotary nozzle lance	0 106402171	•
Tornado Plus nozzle	● 0435	●0500
Detergent Tank	0 301001412	•
Full ceramic pistons	•	•
HP Hose reel	0 301001310	•
•		

O Supplementary Accessories • Standard Accessories



### - Small and compact yet powerful and efficient









#### Let the small and compact POSEIDON 4 carry out the hard work

The New POSEIDON 4 is a robust and durable addition to our low/mid cold water range. Ideal for use in small and medium agricultual sites, as well in trade and workshops. The POSEIDON 4 is equiped with our ergonomic accessory offering low efforts and quick concept and powered by a 1450 rpm motor offering a long life and high reliability.



Despite having a fully sealed system, the POSEIDON 4 is equipped with oil sight, for quick check of oil-level.



The 4L detergent tank is easy to mount/ dismount when emptying or filling (standard equipment on XT-model).



#### POSEIDON 4-29 XT

- 1450 rpm pump
- 3 ceramic pistons
- Integrated 4 I detergent tankQuick coupling system

DOCEIDON 4 20VT

- · Hose reel
- Turbo hammer lance


		POSEIDON 4-29XT
Technical data:		301003110
Pump pressure	psi	2320
	MPa	16
Cleaning Impact	kg/Force	2.9
Water flow, Qmax/QIEC	l/h	620/560
Max. inlet temp.	°C	60
Number of pistons		3
Ceramic Pistons		Yes
Pump	RPM	1450
Dimensions L x W x H	mm	400 x 400 x 1030
Weight	kg	38
Power consumption	kW	3.3
Voltage/phase/ frequency/current	V/~/Hz/A	240/1/50/15
Suction Height Dry	m	0.5
Nozzle Size		0400
Standard equipment:		
Hose		15 m, DN6
Ergo 2000 Spray Gun		
		•
Flexopower 3000 Lance		•
Gardena Inlet Coupling		•
Gardena Inlet Coupling LP Detergent Injection - tube + dose	r	•
Gardena Inlet Coupling LP Detergent Injection - tube + dose Auto Start Stop	r	•
Gardena Inlet Coupling LP Detergent Injection - tube + dose Auto Start Stop Detergent Tank 4 I	r	•
Gardena Inlet Coupling LP Detergent Injection - tube + dose Auto Start Stop Detergent Tank 4 I Oil Sight, fill	r	•
Gardena Inlet Coupling LP Detergent Injection - tube + dose Auto Start Stop Detergent Tank 4 I Oil Sight, fill Hose Reel	r	•
Gardena Inlet Coupling LP Detergent Injection - tube + dose Auto Start Stop Detergent Tank 4 I Oil Sight, fill	r	•

• Standard Accessories


O Supplementary Accessories

### - Powerful and compact cold water cleaning











#### POSEIDON 3-24

- 3 stainless steel pistons
- Ergonomic design
- Easy to use
- · Detergent injector
- · Powerful and long-lasting





- 3 stainless steel pistons
- Ergonomic design
- Integrated hose reel
- Integrated detergent dosing
- Adjustable transport handle



Tradesmen, small building companies, small garages or farms have frequent uses for cold water pressure washers, often cleaning for a small mount of time each day.

The new Gerni POSEIDON 3 line offers an ideal cleaning solution for these frequent, low intensity uses typical of so many customer groups. The POSEIDON 3 line is robust, yet compact – making the machines easy to store or transport and yet very resistant to shocks such as those incurred on construction sites or in the back of commercial vehicles. And in spite of the small size, the POSEIDON 3 line offers high cleaning power in both 10 amp and 15 amp versions.



Technical data:		POSEIDON 3-24 301002949	POSEIDON 3-30 XT 301002950
Pump pressure	Psi	1450	2175
	MPa	10	15
Cleaning Impact	kg/Force	2.4	3.0
Water flow, Qmax/QIEC	l/h	660/600	660/600
Water flow, min.	l/h	600	600
Max. inlet temp.	°C	60	60
Suction height	m	0.5	0.5
Power consumed	kW	2.3	3.4
Voltage/phase/ frequency/current	V/~/Hz/A	240/1/50/10	240/1/50/15
Pump	RPM	2800	2800
Weight	kg	34.5	37
Dimensions L x W x H	mm	1020 x 400 x 400	1020 x 400 x 400
HP hose	m/Ø	10/DN6	15/DN6

Standard equipment:		
Ergo 2000 Gun	•	•
Ergo 3000 lance	FlexoPower	FlexoPower
Tornado Plus nozzle	● 0530	<ul><li>● 0400</li></ul>
Turbo Hammer Lance	0	•
HP hose reel	0 301002343	•

• Standard Accessories O Supplementary Accessories




- Compact cold water power high performance and ergonomics









The compact cold water line that combines high performance level for increased cleaning efficiency, ergonomics and durability for superior everyday cleaning.

The Gerni POSEIDON 2 comprises models designed for everyday semi-professional use mainly by tradesmen, on small construction sites or in rental.

The POSEIDON 2-24 with steel protective bar, are ideal partners around tough environments.




		POSEIDON 2-24 PORTABLE
Technical data:		301002948
Pump pressure	Psi	1450
	MPa	10
Cleaning Impact	kg/Force	2.4
Water flow, Qmax/QIEC	l/h	650/600
Water flow, min.	I/h	600
Max. inlet temp.	°C	40
Suction height dry	m	0.5
Power consumed	kW	2.2
Voltage/phase/ frequency/current	V/~/Hz/A	240/1/50/10
Pump	RPM	2800
Sound level - LpA	dB(A)	86.6
Weight	kg	24
Dimensions L x W x H	mm	555 x 290 x 275
HP hose	m/Ø	10/DN8
Standard equipment:		
Ergo 2000 Gun		•
Ergo 3000 lance		FlexoPower
Tornado Plus nozzle		● 0500


# **POSEIDON PE / DE**

### - The cool facts









Gerni presents a comprehensive range of diesel, and petrol driven pressure washers for professional use. A great combination of high functionality and maximum convenience, technical perfection and a robust design. The ideal solutions for all your cleaning jobs - custom-tailored, efficient, economical.











PO	۲FI	DΩ	N	5-1	54	DF
	JLI	$\mathbf{v}$		J	,,	$\nu_{L}$


Technical data:		POSEIDON 2-31 PE 106174730	POSEIDON 3-36 PE 106174791	POSEIDON 5-67 PE 106174794	POSEIDON 5-54 DE 106174798
Pressure	Psi/MPa	2030/14	2030/14	3335/23	2830/19.5
Cleaning impact	kg/Force	3.1	3.6	6.7	5.4
Water flow, QIEC	l/h	650	750	1100	950
Water flow, Qmax	l/h	700	840	1150	1000
Suction height (primed)	m	0.5	0.5	0.5	0.5
Pump inlet temperature	°C	60	60	60	60
Motor power	HP	5	5.5	13	10
Motor type		Honda	Honda	Honda	Yanmar
		GC 160	GX 160	GX 390	Diesel L100AE
Fuel consumption	l/h	1.55	1.7	4	3.1
Motor / Pump	RPM	3400	3400	3400 / 1550	3400 / 1500
Weight	kg	35	38	68	110
Dimensions, L x W x H	mm	800 x 565 x 1010	800 x 565 x 1010	1000 x 615 x 1150	1000 x 615 x 1150
Reduction gear				•	•
HP Hose	m/Ø	10/DN8	10/DN8	10/DN8	10/DN8
Standard Accessories:					
Ergo Gun		Ergo 2000	Ergo 2000	Ergo 2000	Ergo 2000
Ergo 3000 Lance		FlexoPower	FlexoPower	Tornado	Tornado
Nozzle size		● 0400	<ul><li>0500</li></ul>	<ul><li>0550</li></ul>	<ul><li>● 0530</li></ul>
Motor throttle		•	•	•	•
Detergent injection (on/off)		•	•	•	•
Electric start					•
Ceramic pistons		•	•	•	•
Pressure control		•	•	•	•



### POSEIDON PE / DE

For tough use where you have no electric power (e.g. on construction sites, agriculture...)





# Independency, flexibility ... and power

Petrol and diesel powered pressure washers offer the big advantage of being totally independent of usual electrical power sources – and even of normal water networks. They thus offer a great flexibility of use. Being powered by a petrol or diesel run motor, and being able to suck water from a tank, a river or a well, they represent an ideal solution for cleaning agricultural or construction material in the middle of a field or on a building site. Gerni offers a full range of performances and motor sizes making us the ideal partner for the rental business in all of its forms.

#### **Powerful Cleaning**

The wide range of performances ensure that whatever the application, you will find a powerful Gerni product to help you solve the cleaning task quickly and efficiently.

#### **Flexible Cleaning**

All models include pressure-flow regulation at the pump and also detergent injection systems, ideal for solving a wide range of different cleaning tasks.

#### **Ergonomic use**


The large wheels, the lightweight design or the Ergo accessory concept all ensure that the cleaning job is done with the lowest level of effort and stress. Quick and easy cleaning is our business.

• Large, pneumatic wheels
The large pneumatic wheels ensure good
manoeuvrability over uneven ground found
largely on building sites and in the
agricultural environment.



• Tough and resistant pumps

All pumps are conceived for tough use and include full ceramic piston sleeves. The pumps are also simple and quick to maintain and service. The professional models include oil sight glass and oil fill capability.




#### • Reliable and Durable Motors

The new line of petrol models are all equipped with well-known, reliable Honda motors from 5 HP up to 13 HP sizes. Good performances, durability and excellent service organisation are the trademark of Honda. The Diesel model is equipped with a Yanmar 10 HP motor – also well known for the same benefits and including electric start function. All Honda GX + Yanmar motors have a low oil shut off security function. The motor-pumps can be fitted with an optional speed control to reduce noise level when the machine is running idle.

> • Robust, shock resistant frame The 30 mm steel frame is tough and shock

resistant. Ideal for those tough environments around building sites or agricultural areas.





#### • Sand filter

An additional sand filter is a must in construction and agriculture to protect the pump against damage from sand and dirt particles



### • Powerspeed Plus lance

offers multiple benefits and effects. The rotary jet increases cleaning performance over larger surfaces. The pressure adjustment ensures that you can clean with high pressure but also rinse and apply detergent with one lance



### Unblocking drains, toilets and pipes is childs'play with our

• Draincleaning kit easy to use drain cleaning kits



### Sandblasting Stripping paint or rust is quickly done with the

Gerni sandblasting kits



Find these solutions and many more in our main catalogue.








### Professional cold water pressure washers

# The performance, the cleanliness, the advantages



You will obtain the best possible cleaning solution for your installation thanks to...

- Our expertise in planning and installing units
- The most reliable and durable solutions on the market
- A range of options and accessories that enable you to customize the cleaning equipment to satisfy each of your specific needs



Nilfisk-Advance A/S of which Gerni is a division is the number one professional cleaning equipment company with a turnover of 630 million € and 3800 employees. We are located in all main European countries, Australia, US and Asia with our headquarters in Denmark and production facilities in Germany, Denmark, Hungary, Singapore, China, Italy and the US.

We supply quality high pressure washers to agriculture, automotive and industrial companies. cleaning contractors and private consumers.

Gerni is a product driven company with focus on innovation and growth. We believe in developing and maintaining long lasting relationships with our customers, suppliers and employees.

No claims can be made on the basis of information or illustrations contained in this catalogue. Subject to alteration of technical data, design and equipment.

Distributed by

